

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	16	(US-20030101025-\$ or US-20030037322-\$ or US-20010024212-\$).did. or (US-6989847-\$ or US-6011553-\$ or US-5900874-\$ or US-5737737-\$ or US-5561758-\$).did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 11:12
S2	74706	(function or operation or step or action or procedure or process) same (file or data or document) (icon or symbol or object or widget or image or thumb\$1nail or representation or token) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 11:30
S3	74706	(function or operation or step or action or procedure or process) same ((file or data or document) (icon or symbol or object or widget or image or thumb\$1nail or representation or token)) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 11:31
S4	1687	((function or operation or step or action or procedure or process) (apply\$3 or associat\$3 or connect\$3 or correlat\$3 or identif\$4 or link\$3 or affiliat\$3 or bind\$3)) same ((file or data or document) (icon or symbol or object or widget or image or thumb\$1nail or representation or token)) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 11:35
S5	4692	((function or operation or step or action or procedure or process) near2 (apply\$3 or associat\$3 or connect\$3 or correlat\$3 or identif\$4 or link\$3 or affiliat\$3 or bind\$3)) same ((file or data or document) (icon or symbol or object or widget or image or thumb\$1nail or representation or token)) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 11:36

S6	2371	((function or operation or step or action or procedure or process) near2 (apply\$3 or associat\$3 or connect\$3 or correlat\$3 or identif\$4 or link\$3 or affiliat\$3 or bind \$3)) with ((file or data or document) (icon or symbol or object or widget or image or thumb\$1nail or representation or token)) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 11:36
S7	433	((function or operation or step or action or procedure or process) near2 (apply\$3 or associat\$3 or connect\$3 or correlat\$3 or identif\$4 or link\$3 or affiliat\$3 or bind \$3)) with ((file or data or document) (icon or symbol or object or widget or image or thumb\$1nail or representation or token))) same ((drag\$3 same drop\$4) or click\$3 or select\$3) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 11:38
S8	354	((function or operation or step or action or procedure or process) near2 (apply\$3 or associat\$3 or connect\$3 or correlat\$3 or identif\$4 or link\$3 or affiliat\$3 or bind \$3)) with ((file or data or document) (icon or symbol or object or widget or image or thumb\$1nail or representation or token))) same ((drag\$3 same drop\$4) or click\$3 or select\$3)) and (ui or (user interface) or display or screen or window) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 11:40
S9	342	S8 not (link "254" processes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 11:43

S10	156	(((function or operation or step or action or procedure or process) near2 (apply\$3 or associat\$3 or connect\$3 or correlat\$3 or identif\$4 or link\$3 or affiliat\$3 or bind \$3)) with ((file or data or document) (icon or symbol or widget or image or thumb \$1nail or representation or token))) same ((drag\$3 same drop\$4) or click\$3 or select\$3)) and (ui or (user interface) or display or screen or window) not (link "254" processes) and (@ad< "20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 11:44
S11	150	(((function or operation or step or action or procedure or process) near2 (apply\$3 or associat\$3 or connect\$3 or correlat\$3 or identif\$4 or link\$3 or affiliat\$3 or bind \$3)) with ((file or data or document) (icon or symbol or widget or image or thumb \$1nail or token))) same ((drag\$3 same drop\$4) or click\$3 or select\$3)) and (ui or (user interface) or display or screen or window) not (link "254" processes) and (@ad< "20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 11:46
S12	2	((apply\$3 or associat\$3 or connect\$3 or correlat\$3 or identif\$4 or link\$3 or affiliat \$3 or bind\$3) (multiple or plurality) (function or operation or step or action or procedure or process)) near2 (file or data or document)) same (icon or symbol or widget or image or thumb \$1nail or token) same ((drag \$3 same drop\$4) or click\$3 or select\$3) and (ui or (user interface) or display or screen or window) and (@ad< "20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 12:29

S13	2	((apply\$3 or associat\$3 or connect\$3 or correlat\$3 or identif\$4 or link\$3 or affiliat\$3 or bind\$3) (multiple or plurality) (function or operation or step or action or procedure or process)) near2 (file or data or document)) same (icon or symbol or widget or image or thumb\$1nail or token) same ((drag\$3 same drop\$4) or click\$3 or select\$3) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 12:32
S14	19	((apply\$3 or associat\$3 or connect\$3 or correlat\$3 or identif\$4 or link\$3 or affiliat\$3 or bind\$3) near2 (multiple or plurality) near2 (function or operation or step or action or procedure or process)) near2 (file or data or document)) same (icon or symbol or widget or image or thumb\$1nail or token) same ((drag\$3 same drop\$4) or click\$3 or select\$3) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 12:32
S15	8064	(apply\$3 or associat\$3 or connect\$3 or correlat\$3 or identif\$4 or link\$3 or affiliat\$3 or bind\$3) same (multiple or plurality) same (function or operation or step or action or procedure or process) same (file or data or document) same (icon or symbol or widget or image or thumb\$1nail or token) same ((drag\$3 same drop\$4) or click\$3 or select\$3) not S14 not S11 and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 12:37
S16	6643	(apply\$3 or associat\$3 or connect\$3 or correlat\$3 or identif\$4 or link\$3 or affiliat\$3 or bind\$3) same (multiple or plurality) same (function or operation or step or action or procedure or process) same (file or data or document) same (icon or symbol or widget or image or thumb\$1nail or token) same ((drag\$3 same drop\$4) or click\$3 or select\$3) not S14 not S11 and (ui or (user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 12:38

		interface) or display or screen or window) and (@ad<"20050116")				
S17	617	(apply\$3 or associat\$3 or connect\$3 or correlat\$3 or identif\$4 or link\$3 or affiliat\$3 or bind\$3) (multiple or plurality) (function or operation or step or action or procedure or process) not S14 not S11 and (ui or (user interface) or display or screen or window) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 12:40
S18	1454	(apply\$3 or associat\$3 or connect\$3 or correlat\$3 or identif\$4 or link\$3 or affiliat\$3 or bind\$3 or execut\$3) (multiple or plurality) (function or operation or step or action or procedure or process) not S14 not S11 and (ui or (user interface) or display or screen or window) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 12:42
S19	274	((apply\$3 or associat\$3 or connect\$3 or correlat\$3 or identif\$4 or link\$3 or affiliat\$3 or bind\$3 or execut\$3) (multiple or plurality) (function or operation or step or action or procedure or process)) with (file or data or document)) not S14 not S11 and (ui or (user interface) or display or screen or window) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 12:43
S20	381	((apply\$3 or associat\$3 or connect\$3 or correlat\$3 or identif\$4 or link\$3 or affiliat\$3 or bind\$3 or execut\$3) (multiple or plurality) (function or operation or step or action or procedure or process)) with (file or data or document or object or image)) not S14 not S11 and (ui or (user interface) or display or screen or window) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 12:44

S21	327	((apply\$3 or associate or associating or connect\$3 or correlat\$3 or identif\$4 or link \$3 or affiliat\$3 or bind\$3 or execut\$3) (multiple or plurality) (function or operation or step or action or procedure or process)) with (file or data or document or object or image)) not S14 not S11 and (ui or (user interface) or display or screen or window) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 13:37
S22	0	("2005/0160373").URPN.	USPAT	ADJ	ON	2009/03/02 13:39
S23	0	("2005/0160373").URPN.	USPAT	ADJ	ON	2009/03/02 13:40
S24	404	((apply\$3 or associate or associating or connect\$3 or correlat\$3 or identif\$4 or link \$3 or affiliat\$3 or bind\$3 or execut\$3) (multiple or plurality) (function or operation or step or action or procedure or process or task)) with (file or data or document or object or image)) not S14 not S11 and (ui or (user interface) or display or screen or window) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 13:40
S25	263	((apply\$3 or associate or associating or connect\$3 or correlat\$3 or identif\$4 or link \$3 or affiliat\$3 or bind\$3 or execut\$3) (multiple or plurality) (function or operation or step or action or task)) with (file or data or document or object or image)) not S14 not S11 and (ui or (user interface) or display or screen or window) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 15:16

S26	88	(US-20070186162-\$ or US- 20070124733-\$ or US- 20070022423-\$ or US- 20070010737-\$ or US- 20060288390-\$ or US- 20060212869-\$ or US- 20060095347-\$ or US- 20060053334-\$ or US- 20060042699-\$ or US- 20060026595-\$ or US- 20060010940-\$ or US- 20050289340-\$ or US- 20050273211-\$ or US- 20050240420-\$ or US- 20050228530-\$ or US- 20050222894-\$ or US- 20050222698-\$ or US- 20050209836-\$ or US- 20050160373-\$ or US- 20050159859-\$ or US- 20050146532-\$ or US- 20050139673-\$ or US- 20050137928-\$ or US- 20050131857-\$ or US- 20050108727-\$ or US- 20050105129-\$).did. or (US- 20050092868-\$ or US- 20050086360-\$ or US- 20050076041-\$ or US- 20050050522-\$ or US- 20050038552-\$ or US- 20050028050-\$ or US- 20050021169-\$ or US- 20040257931-\$ or US- 20040254694-\$ or US- 20040190057-\$ or US- 20040177230-\$ or US- 20040153751-\$ or US- 20040148466-\$ or US- 20040141762-\$ or US- 20040129154-\$ or US- 20040128363-\$ or US- 20040125415-\$ or US- 20040117037-\$ or US- 20040107133-\$ or US- 20040103413-\$ or US- 20040099770-\$ or US- 20040088592-\$ or US- 20040085331-\$ or US- 20040083367-\$ or US- 20040083260-\$ or US- 20040078404-\$ or US- 20040075670-\$).did. or (US- 20040073649-\$ or US- 20040069908-\$ or US- 20040064790-\$ or US- 20040064723-\$ or US- 20040059889-\$ or US-	US-PGPUB	ADJ	ON	2009/03/02 15:16
-----	----	--	----------	-----	----	---------------------

S30	268	((apply\$3 or associate or associating or connect\$3 or correlat\$3 or identif\$4 or link\$3 or affiliat\$3 or bind\$3 or execut\$3) (multiple or plurality) (function or operation or step or action or procedure or task)) with (file or data or document or object or image)) not S14 not S11 and (ui or (user interface) or display or screen or window) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 16:41
S31	5	S30 not S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 16:41
S32	191	((apply\$3 or associate or associating or connect\$3 or correlat\$3 or identif\$4 or link\$3 or affiliat\$3 or bind\$3 or execut\$3) (multiple or plurality) (function or operation or step or action or procedure)) with (file or data or document or object or image)) not S14 not S11 and (ui or (user interface) or display or screen or window) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 16:43
S33	5	S32 not S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 16:44
S34	883	(apply\$3 or associat\$3 or connect\$3 or correlat\$3 or identif\$4 or link\$3 or affiliat\$3 or bind\$3 or execut\$3) (multiple or plurality) (function or operation or step or action or procedure) not S14 not S11 and (ui or (user interface) or display or screen or window) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 16:44
S35	691	S34 not S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 16:45

S36	138	((apply\$3 or associat\$3 or connect\$3 or correlat\$3 or identif\$4 or link\$3 or affiliat\$3 or bind\$3 or execut\$3) (multiple or plurality) (function or operation or step or action or procedure) same (sequential\$2 or sequence or order or consecutiv\$3 or following or serial\$2 or succeed\$3 or successiv\$3)) not S14 not S11 and (ui or (user interface) or display or screen or window) not S24 and (@ad<"20050116"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/02 16:51
S37	11	(execut\$3 near2 (multiple or plurality) near2 file near2 operation) and (@ad<"20050116"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 10:38
S38	20	("5705502" "5787451" "5802530" "5870559" "5913185").PN. OR ("6044387").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/03 10:55
S39	20	S38 and (@ad<"20050116"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 10:57
S40	77640	(function or operation or step or action or procedure or process) with ((file or data or document or image) (icon or symbol or object or widget or image or thumb\$1nail or representation or token)) and (@ad<"20050116"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 11:04
S41	59662	(function or operation or step or action) with ((file or data or document or image) (icon or symbol or object or widget or image or thumb\$1nail or representation or token)) and (@ad<"20050116"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 11:05
S42	43339	(function or operation or step or action) with ((file or data or document or image) (icon or symbol or widget or image or thumb\$1nail or representation or token)) and (@ad<"20050116"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 11:07

S43	41149	(function or operation or step or action) with ((file or data or document or image) (icon or symbol or widget or image or thumb\$1nail or token)) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 11:07
S44	24	(modif\$4 or modification or alter\$3 or alteration or chang\$3 or updat\$3) (icon or symbol or image or thumb\$1nail) (indicat\$3 or signify\$3 or display\$3 or show\$3 or specify\$3) (function or operation or step or action) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 11:19
S45	20401	((modif\$4 or modification or alter\$3 or alteration or chang\$3 or updat\$3) with (icon or symbol or image or thumb\$1nail) with (indicat\$3 or signify\$3 or display\$3 or show\$3 or specify\$3) with (function or operation or step or action)) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 11:23
S46	1029	((modif\$4 or modification or alter\$3 or alteration or chang\$3 or updat\$3) with ((file or data or document or image) (icon or symbol or image or thumb\$1nail)) with (indicat\$3 or signify\$3 or display\$3 or show\$3 or specify\$3) with (function or operation or step or action)) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 11:24
S47	1027	S46 not S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 11:25
S48	303	((modif\$4 or modification or alter\$3 or alteration or chang\$3 or updat\$3) with ((file or data or document or image) (icon or symbol or image or thumb\$1nail)) with (indicat\$3 or signify\$3 or display\$3 or show\$3 or specify\$3) with (function or operation or step or action)) same (execut\$3 or implement\$5 or perform\$3 or transact\$3) not S44 and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 11:27

S49	213	((modif\$4 or modification or alter\$3 or alteration or chang\$3 or updat\$3) with ((file or data or document or image) (icon or symbol or image or thumb\$1nail)) with (indicat\$3 or signify\$3 or display\$3 or show\$3 or specify\$3) with (function or operation or action)) same (execut\$3 or implement\$5 or perform\$3 or transact\$3) not S44 and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 11:30
S50	47	(US-20060026561-\$ or US-20060004698-\$ or US-20050190309-\$ or US-20050176502-\$ or US-20050168621-\$ or US-20050138561-\$ or US-20050134911-\$ or US-20050091289-\$ or US-20050088684-\$ or US-20050085280-\$ or US-20050073708-\$ or US-20050068336-\$ or US-20050061975-\$ or US-20050058353-\$ or US-20050024341-\$ or US-20050010600-\$ or US-20040263634-\$ or US-20040196983-\$ or US-20040189856-\$ or US-20040184057-\$ or US-20040179129-\$ or US-20040174384-\$ or US-20040169672-\$ or US-20040153530-\$ or US-20040130625-\$ or US-20040125443-\$).did. or (US-20040085452-\$ or US-20040075066-\$ or US-20040057081-\$ or US-20040046988-\$ or US-20040036813-\$ or US-20030227483-\$ or US-20030223049-\$ or US-20030210338-\$ or US-20030206228-\$ or US-20030194117-\$ or US-20030189418-\$ or US-20030179241-\$ or US-20030156142-\$ or US-20030152283-\$ or US-20030128408-\$ or US-20030115269-\$ or US-20030115217-\$ or US-20030103030-\$ or US-	US-PGPUB	ADJ	ON	2009/03/03 11:42

		20030081136-\$ or US- 20030076443-\$ or US- 20030060932-\$).did.				
S51	95	((modif\$4 or modification or alter\$3 or alteration or chang\$3 or updat\$3) with ((file or data or document) (icon or symbol or image or thumb \$1nail)) with (indicat\$3 or signify\$3 or display\$3 or show\$3 or specify\$3) with (function or operation or action)) same (execut\$3 or implement\$5 or perform\$3 or transact\$3) not S44 not S50 and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 11:43
S52	0	((modif\$4 or modification or alter\$3 or alteration or chang\$3 or updat\$3) with ((file or data or document) (icon or symbol or image or thumb \$1nail)) with (indicat\$3 or signify\$3 or display\$3 or show\$3 or specify\$3) with (function or operation or action)) same (execut\$3 or implement\$5 or perform\$3 or transact\$3) not S44 not S50 not S51 and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 13:40
S53	9	((modif\$4 or modification or alter\$3 or alteration or chang\$3 or updat\$3) with ((file or data or document) (icon or symbol or image or thumb \$1nail)) with (indicat\$3 or signify\$3 or display\$3 or show\$3 or specify\$3) with (command)) same (execut\$3 or implement\$5 or perform\$3 or transact\$3) not S44 not S50 not S51 and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 13:41
S54	648	((modif\$4 or modification or alter\$3 or alteration or chang\$3 or updat\$3) with (icon or symbol or image or thumb \$1nail) with (indicat\$3 or signify\$3 or display\$3 or show\$3 or specify\$3) with (command)) same (execut\$3 or implement\$5 or perform\$3 or transact\$3) not S44 not S50 not S51 not S53 and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 13:51

S55	99	((modif\$4 or modification or alter\$3 or alteration or chang\$3 or updat\$3) with (icon or symbol or image or thumb\$1nail) with (indicat\$3 or signify\$3 or display\$3 or show\$3 or specify\$3) with (command)) same (execut\$3 or implement\$5 or perform\$3 or transact\$3) same (file or document) not S44 not S50 not S51 not S53 and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 13:52
S56	19	("4723211" "4815029" "5197122" "5208905").PN. OR ("5408599").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/03 15:55
S57	24768	((indicia or indicium or color or shade or pattern or shape) with (icon or symbol or image or thumb\$1nail) with (indicat\$3 or signify\$3 or display\$3 or show\$3 or specify\$3) with (function or operation or step or action or command)) not S44 not S50 not S51 not S53 and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 16:23
S58	16700	((indicia or indicium or color or shade or pattern or shape) with (icon or symbol or image or thumb\$1nail) with (indicat\$3 or signify\$3 or display\$3 or show\$3 or specify\$3) with (function or operation or action or command)) not S44 not S50 not S51 not S53 and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 16:24
S59	1001	((indicia or indicium or color or shade or pattern or shape) with (icon or symbol or image or thumb\$1nail) with (indicat\$3 or signify\$3 or display\$3 or show\$3 or specify\$3) with (function or operation or action or command)) same (file or document) not S44 not S50 not S51 not S53 and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 16:26

S60	887	((((indicia or indicium or color or shade or pattern or shape) with (icon or symbol or image or thumb\$1nail) with (indicat\$3 or signify\$3 or display\$3 or show\$3 or specify\$3) with (function or operation or action or command)) same (file or document)) and (ui or (user interface) or display or screen) not S44 not S50 not S51 not S53 and (@ad<"20050116"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 16:33
S61	891	((((indicia or indicium or color or shade or pattern or shape) with (icon or symbol or image or thumb\$1nail) with (indicat\$3 or signify\$3 or display\$3 or show\$3 or specify\$3) with (function or operation or action or command)) same (file or document)) and (ui or (user interface) or display or screen or window) not S44 not S50 not S51 not S53 and (@ad<"20050116"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 16:34
S62	27	((((indicia or indicium or color or shade or pattern or shape) near2 (icon or symbol or image or thumb\$1nail) near2 (indicat\$3 or signify\$3 or display\$3 or show\$3 or specify\$3) near2 (function or operation or action or command)) same (file or document)) and (ui or (user interface) or display or screen or window) not S44 not S50 not S51 not S53 and (@ad<"20050116"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 16:35
S63	656	((((indicia or indicium or color or shade or pattern or shape) with (icon or symbol or image or thumb\$1nail) with (indicat\$3 or signify\$3 or display\$3 or show\$3 or specify\$3) with (function or operation or action or command)) same (file or document)) and (ui or (user interface) or display or screen or window) and execut\$3 not S44 not S50 not S51 not S53 and (@ad<"20050116"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 16:48

S64	197	((((indicia or indicium or color or shade or pattern or shape) with (icon or symbol or image or thumb\$1nail) with (indicat\$3 or signify\$3 or display\$3 or show\$3 or specify\$3) with (function or operation or action or command)) same (file or document)) and (ui or (user interface) or display or screen or window) and execut\$3 and ((select\$3 or drag\$4 or choos\$3 or pick\$3 or opt\$3) (function or operation or action or command)) not S44 not S50 not S51 not S53 and (@ad< "20050116"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 16:52
S65	356	((((indicia or indicium or color or shade or pattern or shape) with (icon or symbol or image or thumb\$1nail) with (indicat\$3 or signify\$3 or display\$3 or show\$3 or specify\$3) with (function or operation or action or command)) same (file or document)) and (ui or (user interface) or display or screen or window) and execut\$3 and ((select\$3 or drag\$4 or choos\$3 or chosen or pick\$3 or opt\$3) near2 (function or operation or action or command)) not S44 not S50 not S51 not S53 and (@ad< "20050116"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 16:53
S66	369	((((indicia or indicium or color or shade or pattern or shape) with (icon or symbol or image or thumb\$1nail) with (indicat\$3 or signify\$3 or display\$3 or show\$3 or specify\$3) with (function or operation or action or command)) same (file or document)) and (ui or (user interface) or display or screen or window) and execut\$3 and ((select\$3 or drag\$4 or choos\$3 or chosen or pick\$3 or opt\$3 or assign \$3) near2 (function or operation or action or command)) not S44 not S50 not S51 not S53 and	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 17:05

		(@ad< "20050116")				
S67	87	("4070710" "4455619" "4546435" "4555772" "4648046" "4656603" "4667233" "4689616" "4698624" "4716533" "4739314" "4752889" "4755808" "4772882" "4816812" "4821029" "4841291" "4859995" "4897636").PN. OR ("4984152").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/03 18:47
S68	86	S67 and (@ad< "20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/03 18:48
S69	111	(compound or (multi\$1part) combination or combine or aggregat\$3 or blend\$3 or combo or composite or mixed) icon and (@ad< "20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 10:25
S70	0	(rd\$1"429172")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 11:11
S71	1	(rd ("429172"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 11:12
S72	24	(modif\$4 or modification or alter\$3 or alteration or chang \$3 or updat\$3) (icon or symbol or image or thumb \$1nail) (indicat\$3 or signify \$3 or display\$3 or show\$3 or specify\$3) (function or operation or step or action) and (@ad< "20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 11:15
S73	47	(US-20060026561-\$ or US- 20060004698-\$ or US- 20050190309-\$ or US- 20050176502-\$ or US- 20050168621-\$ or US- 20050138561-\$ or US- 20050134911-\$ or US- 20050091289-\$ or US- 20050088684-\$ or US- 20050085280-\$ or US- 20050073708-\$ or US- 20050068336-\$ or US- 20050061975-\$ or US-	US-PGPUB	ADJ	ON	2009/03/04 11:15

		20050058353-\$ or US- 20050024341-\$ or US- 20050010600-\$ or US- 20040263634-\$ or US- 20040196983-\$ or US- 20040189856-\$ or US- 20040184057-\$ or US- 20040179129-\$ or US- 20040174384-\$ or US- 20040169672-\$ or US- 20040153530-\$ or US- 20040130625-\$ or US- 20040125443-\$).did. or (US- 20040085452-\$ or US- 20040075066-\$ or US- 20040057081-\$ or US- 20040046988-\$ or US- 20040036813-\$ or US- 20030227483-\$ or US- 20030223049-\$ or US- 20030210338-\$ or US- 20030206228-\$ or US- 20030194117-\$ or US- 20030189418-\$ or US- 20030179241-\$ or US- 20030156142-\$ or US- 20030152283-\$ or US- 20030128408-\$ or US- 20030115269-\$ or US- 20030115217-\$ or US- 20030103030-\$ or US- 20030081136-\$ or US- 20030076443-\$ or US- 20030060932-\$).did.				
S74	95	((modif\$4 or modification or alter\$3 or alteration or chang \$3 or updat\$3) with ((file or data or document) (icon or symbol or image or thumb \$1nail)) with (indicat\$3 or signify\$3 or display\$3 or show\$3 or specify\$3) with (function or operation or action)) same (execut\$3 or implement\$5 or perform\$3 or transact\$3) not S72 not S73 and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 11:15

S75	9	((modif\$4 or modification or alter\$3 or alteration or chang\$3 or updat\$3) with ((file or data or document) (icon or symbol or image or thumb\$1nail)) with (indicat\$3 or signify\$3 or display\$3 or show\$3 or specify\$3) with (command)) same (execut\$3 or implement\$5 or perform\$3 or transact\$3) not S72 not S73 not S74 and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 11:15
S76	437	((((indicia or indicium or color or shade or pattern or shape or compound or (multi\$1part) combination or combine or aggregat\$3 or blend\$3 or combo or composite or mixed) with (icon or symbol or image or thumb\$1nail) with (indicat\$3 or signify\$3 or display\$3 or show\$3 or specify\$3) with (function or operation or action or command)) same (file or document)) and (ui or (user interface) or display or screen or window) and execut\$3 and ((select\$3 or drag\$4 or choos\$3 or chosen or pick\$3 or opt\$3 or assign\$3) near2 (function or operation or action or command)) not S72 not S73 not S74 not S75 and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 11:15
S77	437	S76 not S69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 11:28
S78	143	(((((indicia or indicium or color or shade or pattern or shape or compound or (multi\$1part) combination or combine or aggregat\$3 or blend\$3 or combo or composite or mixed) near2 (icon or symbol or image or thumb\$1nail)) with (indicat\$3 or signify\$3 or display\$3 or show\$3 or specify\$3) with (function or operation or action or command)) same (file or document)) and (ui or (user interface) or display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 11:31

		or screen or window) and execut\$3 and ((select\$3 or drag\$4 or choos\$3 or chosen or pick\$3 or opt\$3 or assign \$3) near2 (function or operation or action or command)) not S72 not S73 not S74 not S75 and (@ad<"20050116")				
S79	24	(modif\$4 or modification or alter\$3 or alteration or chang \$3 or updat\$3) (icon or symbol or image or thumb \$1nail) (indicat\$3 or signify \$3 or display\$3 or show\$3 or specify\$3) (function or operation or step or action) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 13:16
S80	47	(US-20060026561-\$ or US-20060004698-\$ or US-20050190309-\$ or US-20050176502-\$ or US-20050168621-\$ or US-20050138561-\$ or US-20050134911-\$ or US-20050091289-\$ or US-20050088684-\$ or US-20050085280-\$ or US-20050073708-\$ or US-20050068336-\$ or US-20050061975-\$ or US-20050058353-\$ or US-20050024341-\$ or US-20050010600-\$ or US-20040263634-\$ or US-20040196983-\$ or US-20040189856-\$ or US-20040184057-\$ or US-20040179129-\$ or US-20040174384-\$ or US-20040169672-\$ or US-20040153530-\$ or US-20040130625-\$ or US-20040125443-\$).did. or (US-20040085452-\$ or US-20040075066-\$ or US-20040057081-\$ or US-20040046988-\$ or US-20040036813-\$ or US-20030227483-\$ or US-20030223049-\$ or US-20030210338-\$ or US-20030206228-\$ or US-20030194117-\$ or US-20030189418-\$ or US-20030179241-\$ or US-20030156142-\$ or US-	US-PGPUB	ADJ	ON	2009/03/04 13:16

		20030152283-\$ or US- 20030128408-\$ or US- 20030115269-\$ or US- 20030115217-\$ or US- 20030103030-\$ or US- 20030081136-\$ or US- 20030076443-\$ or US- 20030060932-\$).did.				
S81	95	((modif\$4 or modification or alter\$3 or alteration or chang\$3 or updat\$3) with ((file or data or document) (icon or symbol or image or thumb \$1nail)) with (indicat\$3 or signify\$3 or display\$3 or show\$3 or specify\$3) with (function or operation or action)) same (execut\$3 or implement\$5 or perform\$3 or transact\$3) not S79 not S80 and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 13:16
S82	9	((modif\$4 or modification or alter\$3 or alteration or chang\$3 or updat\$3) with ((file or data or document) (icon or symbol or image or thumb \$1nail)) with (indicat\$3 or signify\$3 or display\$3 or show\$3 or specify\$3) with (command)) same (execut\$3 or implement\$5 or perform\$3 or transact\$3) not S79 not S80 not S81 and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 13:16
S83	25	(((((indicia or indicium or color or shade or pattern or shape or compound or (multi \$1part) combination or combine or aggregat\$3 or blend\$3 or combo or composite or mixed) near2 (icon or symbol or thumb \$1nail)) with (indicat\$3 or signify\$3 or display\$3 or show\$3 or specify\$3) with (function or operation or action or command)) same (file or document)) and (ui or (user interface) or display or screen or window) and execut\$3 and ((select\$3 or drag\$4 or choos\$3 or chosen or pick\$3 or opt\$3 or assign \$3) near2 (function or operation or action or command)) not S79 not S80 not S81 not S82 and	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/04 13:16

		(@ad<"20050116")				
S84	2	("5892948").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 11:33
S85	447	(indicat\$3 or cue or que) near2 (file or data or document) near2 (icon or symbol or object or widget or image or thumb\$1nail or representation or token) near2 (status or state or mode) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 14:33
S86	287	(indicat\$3 or cue or que) near2 (file or data or document) near2 (icon or symbol or object or widget or thumb\$1nail or representation or token) near2 (status or state or mode) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 14:34
S87	192	((indicat\$3 or cue or que) near2 (file or data or document) near2 (icon or symbol or object or widget or image or thumb\$1nail or representation or token) near2 (status or state or mode)) same (function or operation or step or action or procedure or process) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 14:46
S88	161	((indicat\$3 or cue or que) near2 (file or data or document) near2 (icon or symbol or object or widget or image or thumb\$1nail or representation or token) near2 (status or state or mode)) same (function or operation or action or procedure or process) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 14:47

S89	150	((indicat\$3 or cue or que) near2 (file or data or document) near2 (icon or symbol or object or widget or thumb\$1nail or representation or token) near2 (status or state or mode)) same (function or operation or action or procedure or process) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 14:48
S90	2	(us-20050021883-\$).did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 18:54
S91	1	(us-20050021883-\$).did. and (electronic file function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/05 19:16
S92	143	(multi\$3 mode (icon or graphical (symbol or object or representation or token)) or widget or image or thumb \$1nail or indicia or indicium)) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/07 14:55
S93	143	(multi\$3 mode (icon or ((graphic\$2 or visual) (symbol or object or representation or token)) or widget or image or thumb \$1nail or indicia or indicium)) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/07 14:55
S94	4	(multi\$3 mode (icon or ((graphic\$2 or visual) (symbol or object or representation or token)) or widget or thumb\$1nail or indicia or indicium)) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/07 14:56
S95	8	(multi\$3 (state or status) (icon or ((graphic\$2 or visual) (symbol or object or representation or token)) or widget or thumb\$1nail or indicia or indicium)) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/07 14:58

S96	0	((indici\$2) near2 (file or data or document) near2 (icon or symbol or object or widget or thumb\$1nail or representation or token) near2 (status or state or mode)) same (function or operation or action or procedure or process) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/07 16:24
S97	0	((indicium) near2 (file or data or document) near2 (icon or symbol or object or widget or thumb\$1nail or representation or token) near2 (status or state or mode)) same (function or operation or action or procedure or process) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/07 16:24
S98	0	((indicia) near2 (file or data or document) near2 (icon or symbol or object or widget or thumb\$1nail or representation or token) near2 (status or state or mode)) same (function or operation or action or procedure or process) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/07 16:25
S99	4	(indici\$2) near2 (file or data or document) near2 (icon or symbol or object or widget or image or thumb\$1nail or representation or token) near2 (status or state or mode) and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/07 16:25
S100	14	(indici\$2) near3 (file or data or document) near3 (icon or symbol or object or widget or image or thumb\$1nail or representation or token) near3 (status or state or mode) not S99 and (@ad<"20050116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/07 16:27
S101	0	"64184426"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 15:00

S102	0	"64184426".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 15:00
S103	2	"6418426".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 15:00
S104	2	"6147687".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 15:11
S106	4	("5892948").PN. or ("20040114265").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/17 15:00
S107	2	("5892948").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 18:05
S108	2	("5892948").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 18:06

5/ 7/ 2009 6:18:54 PM

C:\Documents and Settings\jheffington\ My Documents\ 10759932\ SearchHistory9.wsp